

## CAKE DISPLAYS

## BROMIC

### CD0500A



The Cake and Pastry Displays offer an attractive and stylish method for presentation of the tastiest creations. The specialist refrigeration system also ensures extended product life

#### Standard Features:

- Temperature display +1 / +10°C
- Dual internal fluorescent lighting
- Castor mounted for easy movement & positioning
- Constant temperature
- 4 sided tempered thermoglass in an aluminium frame
- 6 Rotary glass shelves
- Lowest shelf mirrored
- Rotary on/off switch
- Light Switch


See table below for additional features



Adjustable temperature, rotary and lighting control



SPECIFICATIONS		CD0500A
	CAPACITY LTRS	464
	DISPLAY FINISH	ANOD ALUMINIUM
	TEMP. RANGE (oC)	+1/+10
	POWER (WATTS)	680
	WIDTH (MM)	700
	DEPTH (MM)	730
	HEIGHT INC. CASTORS (MM)	1790
	DOOR TYPE	GLASS
	NO. OF DOORS	1
	NO. OF SHELVES	6
	WEIGHT (KG)	170
	REFRIGERANT	R134A



## CAKE DISPLAYS

# BROMIC

### CD0500W



The Wooden Finish Cake and Pastry Displays offer an attractive and stylish method for presentation of the tastiest creations. The specialist refrigeration system also ensures extended product life

#### Standard Features:

- Temperature display +1 / +10°C
- Dual internal fluorescent lighting
- Castor mounted for easy movement & positioning
- Constant temperature
- 4 sided tempered thermoglass in a wooden frame
- 6 Rotary glass shelves
- Lowest shelf mirrored
- Rotary on/off switch
- Light Switch


See table below for additional feature



Adjustable temperature, rotary and lighting control



SPECIFICATIONS		CD0500W
	CAPACITY LTRS	464
	DISPLAY FINISH	WOOD
	TEMP. RANGE (oC)	+1/+10
	POWER (WATTS)	680
	WIDTH (MM)	775
	DEPTH (MM)	805
	HEIGHT INC. CASTORS (MM)	1785
	DOOR TYPE	GLASS
	NO. OF DOORS	1
	NO. OF SHELVES	6
	WEIGHT (KG)	205
	REFRIGERANT	R134A



## CHEST FREEZERS - FLAT TOP, FLAT GLASS

# BROMIC

### CFO200FTFG




The Flat Top - Flat Glass Chest Freezers offers you a perfect place to display or store your ice cream and frozen items. 5 sizes available.

Standard Features:

- Temperature display
  - Durable PVC coated storage baskets included (see table below)
  - Aluminium top frame for the sliding glass
  - Tempered heat reflective glass lids (open left & right)
  - Integrated lock & keys
  - Defrost water drain
  - The chest freezers can be decorated.
- The sides can be silk-screened or decals applied  
(additional charges apply - POA).

\*\* see below for all other features  
See table below for additional features



### CFO300FTFG




The Flat Top - Flat Glass Chest Freezers offers you a perfect place to display or store your ice cream and frozen items. 5 sizes available.

Standard Features:

- Temperature display
  - Durable PVC coated storage baskets included (see table below)
  - Aluminium top frame for the sliding glass
  - Tempered heat reflective glass lids (open left & right)
  - Integrated lock & keys
  - Defrost water drain
  - The chest freezers can be decorated
- The sides can be silk-screened or decals applied  
(additional charges apply - POA).

\*\* see below for all additional features



SPECIFICATIONS		CF0200FTFG	CF0300FTFG
	CAPACITY (LTRS)	191	296
	TEMP. RANGE (oC)	-14/-24	-14/-24
	POWER (WATTS)	214	239
	WIDTH (MM)	720	1100
	DEPTH (MM)	630	630
	HEIGHT (MM)	890	890
	NO. OF LIDS	2	2
	TYPE OF LIDS	FLAT GLASS	FLAT GLASS
	BASKETS INCLUDED	1	2
	BASKET CAPACITY	2	3
	WEIGHT	46.5	55.5
	REFRIGERANT	R134A	R134A

## CHEST FREEZERS - FLAT TOP, FLAT GLASS

# BROMIC

### CFO400FTFG




The Flat Top - Flat Glass Chest Freezers offers you a perfect place to display or store your ice cream and frozen items. 5 sizes available.

Standard Features:


- Temperature display
- Durable PVC coated storage baskets included (see table below)
- Aluminium top frame for the sliding glass
- Tempered heat reflective glass lids (open left & right)
- Integrated lock & keys
- Defrost water drain



- \*\* High load limit which allows increased storage volume
  - \*\* Lockable castors for easy positioning and movement
  - \*\* Corrosion resistant construction
  - \*\* Easy clean condenser design for better protection, less condensation, less humidity, even in extreme tropical climatic conditions
  - \*\* The chest freezers can be decorated. The sides can be silk-screened or decals applied (additional charges apply - POA).
- See table below for additional features



### CF0500FTFG



The Flat Top - Flat Glass Chest Freezers offers you a perfect place to display or store your ice cream and frozen items. 5 sizes available.

Standard Features:

- Durable PVC wire storage baskets included (see table below)
- Aluminium top frame for the sliding glass
- Tempered heat reflective glass dual lids (open left & right)
- Integrated lock & keys
- Defrost water drain
- High load limit which allows large inner side volume
- Lockable castors for easy positioning and movement
- Corrosion resistant construction
- Easy clean built-in condenser for better protection, less condensation, less humidity, even in extreme tropical climatic conditions
- Temperature display

The chest freezers can be decorated. The sides can be silk-screened or decals applied. (additional charges apply - POA). See page 8 for additional features\*\*




SPECIFICATIONS		CFO400FTFG	CF0500FTFG
	CAPACITY (LTRS)	401	491
	TEMP. RANGE (oC)	-14/-24	-14/-24
	POWER (WATTS)	402	408
	WIDTH (MM)	1300	1550
	DEPTH (MM)	630	630
	HEIGHT (MM)	890	890
	NO. OF LIDS	2	2
	TYPE OF LIDS	FLAT GLASS	FLAT GLASS
	BASKETS INCLUDED	3	4
	BASKET CAPACITY	4	5
	WEIGHT	63.5	71.5
	REFRIGERANT	R134A	R404A



## CHEST FREEZERS - FLAT TOP, FLAT GLASS

# BROMIC

CF0700FTFG



The Flat Top - Flat Glass Chest Freezers offers you a perfect place to display or store your ice cream and frozen items. 5 sizes available.

### Standard Features:

- Durable PVC wire storage baskets included (see table below)
- Aluminium top frame for the sliding glass
- Tempered heat reflective glass dual lids (open left & right)
- Integrated lock & keys
- Defrost water drain
- High load limit which allows large inner side volume
- Lockable castors for easy positioning and movement
- Corrosion resistant construction
- Easy clean built-in condenser for better protection, less condensation, less humidity, even in extreme tropical climatic conditions
- Temperature display

The chest freezers can be decorated. The sides can be silk-screened or decals applied. (additional charges apply - POA).



SPECIFICATIONS		CF0700FTFG
	CAPACITY (LTRS)	670
	TEMP. RANGE (oC)	-14/-24
	POWER (WATTS)	458
	WIDTH (MM)	2055
	DEPTH (MM)	630
	HEIGHT (MM)	890
	NO. OF LIDS	2
	TYPE OF LIDS	FLAT GLASS
	BASKETS INCLUDED	5
	BASKET CAPACITY	6
	WEIGHT	101
	REFRIGERANT	R404A

## CHEST FREEZERS - ANGLE TOP, CURVED GLASS

## BROMIC




### CF0300ATCG

Ideal for display of frozen products

#### Features

- Fitted with moveable castors
  - Complete with durable PVC coated storage baskets
  - Corrosion resistant construction and equipped with defrost water drain
  - Curved sliding glass lids
  - High load limit which allows increased storage volume
  - Service free condenser design for better protection, gives less condensation, less humidity and less rust, even in extreme tropical climatic conditions
  - Temperature display
  - The chest freezer is designed to be decorated.
- The sides can be silk-screened or embellish with stickers. (additional charges apply - POA)




### CF0400ATCG

Ideal for display of frozen products

#### Features

- Fitted with moveable castors
  - Complete with durable PVC coated storage baskets
  - Corrosion resistant construction and equipped with defrost water drain
  - Curved sliding glass lids with removable canopy
  - High load limit which allows increased storage volume
  - Service free condenser design for better protection, gives less condensation, less humidity and less rust, even in extreme tropical climatic conditions
  - Temperature display
  - The chest freezer is designed to be decorated.
- The sides can be silk-screened or embellish with stickers. (additional charges apply - POA)



SPECIFICATIONS		CF0300ATCG	CF0400ATCG
	CAPACITY (LTRS)	264	352
	TEMP. RANGE (oC)	-14/-24	-14/-24
	POWER (WATTS)	239	402
	WIDTH (MM)	1010	1300
	DEPTH (MM)	615	615
	HEIGHT (MM)	945	945
	NO. OF LIDS	2	2
	TYPE OF LIDS	CURVED GLASS	CURVED GLASS
	BASKETS INCLUDED	2	3
	BASKET CAPACITY	3	4
	WEIGHT	57	66
	REFRIGERANT	R134A	R404A

## CHEST FREEZERS - ANGLE TOP, CURVED GLASS

# BROMIC

Curved glass  
for maximum  
visual impact




### CF0350ATCG

Ideal for Gelato display

#### Features

- Fitted with moveable castors
  - Complete with durable PVC coated storage baskets
  - Corrosion resistant construction and equipped with defrost water drain
  - Curved sliding glass lids and removable display canopy
  - High load limit which allows increased storage volume
  - Service free condenser design for better protection, gives less condensation, less humidity and less rust, even in extreme tropical climatic conditions
  - Temperature display
  - The chest freezer is designed to be decorated.
- The sides can be silk-screened or embellish with stickers. (additional charges apply - POA)




### CF0200ATCG

Ideal for display of frozen products

#### Features

- Fitted with moveable castors
  - Complete with durable PVC coated storage baskets
  - Corrosion resistant construction and equipped with defrost water drain
  - Curved sliding glass lids
  - High load limit which allows increased storage volume
  - Service free condenser design for better protection, gives less condensation, less humidity and less rust, even in extreme tropical climatic conditions
  - Temperature display
  - The chest freezer is designed to be decorated.
- The sides can be silk-screened or embellish with stickers. (additional charges apply - POA)




SPECIFICATIONS		CF0350ATCG	CF0200ATCG
	CAPACITY (LTRS)	347	176
	TEMP. RANGE (oC)	-14/-24	-14/-24
	POWER (WATTS)	330	214
	WIDTH (MM)	1327	720
	DEPTH (MM)	516	615
	HEIGHT (MM)	1085	945
	NO. OF LIDS	2 + CANOPY	2
	TYPE OF LIDS	CURVED GLASS	CURVED GLASS
	BASKETS INCLUDED	7	1
	BASKET CAPACITY	7	2
	WEIGHT	82	49
	REFRIGERANT	R134A	R134A

## CHEST FREEZERS - FLAT TOP, STAINLESS STEEL

# BROMIC

### CF0500FTSS




The Stainless Steel - Flat Top Chest Freezers (deepfreezer) offers fast and high freezing capacity which keeps meat and vegetables fresh for a long time. 2 sizes available.

#### Standard Features:

- Temperature controls and display
- Durable PVC coated storage baskets included (see table below)
- Hinged Lift up Stainless Steel Lid
- Lift up handle with Integrated lock & keys
- Defrost water drain
- High load limit which allows increased storage volume
- Lockable castors for easy positioning and movement
- Corrosion resistant construction
- Service free condenser design for better protection, less condensation, less humidity, even in extreme tropical climatic conditions

The chest freezers can be decorated. The sides can be silk-screened or decals applied. (additional charges apply - POA).

### CF0700FTSS



The Stainless Steel - Flat Top Chest Freezers (deepfreezer) offers fast and high freezing capacity which keeps meat and vegetables fresh for a long time. 2 sizes available.

#### Standard Features:

- Temperature controls and display
- Durable PVC coated storage baskets included (see table below)
- Hinged Lift up Stainless Steel Lid
- Lift up handle with Integrated lock & keys
- Defrost water drain
- High load limit which allows increased storage volume
- Lockable castors for easy positioning and movement
- Corrosion resistant construction
- Service free condenser design for better protection, less condensation, less humidity, even in extreme tropical climatic conditions

The chest freezers can be decorated. The sides can be silk-screened or decals applied. (additional charges apply - POA).

SPECIFICATIONS		CF0500FTSS	CF0700FTSS
	CAPACITY (LTRS)	492	675
	TEMP. RANGE (oC)	-15/-25	-15/-25
	POWER (WATTS)	340	391
	WIDTH (MM)	1550	2055
	DEPTH (MM)	715	715
	HEIGHT (MM)	835	835
	NO. OF LIDS	1	1
	TYPE OF LIDS	S/STEEL FLAT TOP	S/STEEL FLAT TOP
	BASKETS INCLUDED	3	3
	BASKET CAPACITY	5	8
	WEIGHT	80.5	101
	REFRIGERANT	R404A	R404A



## COUNTER TOP MERCHANDISERS

# BROMIC

### CT0060G4


### CT0060G4L



The Bromic counter top merchandisers combine attractive styling and design with durability to ensure the best possible point of sale promotion for your product

- Adjustable shelving
- High output product lighting
- Adjustable temperature control (+1 to +10°C)
- Environmentally friendly refrigerant

The chillers can be decorated.  
The sides can be silk-screened or decals applied.  
(additional charges apply - POA).



### CT0080G4


### CT0080G4L



The Bromic counter top merchandisers combine attractive styling and design with durability to ensure the best possible point of sale promotion for your product.

- Adjustable shelving
- High output product lighting
- Adjustable temperature control (+1 to +10°C)
- Environmentally friendly refrigerant

The chillers can be decorated.  
The sides can be silk-screened or decals applied.  
(additional charges apply - POA).




### CT0100G1LS



The Bromic counter top merchandisers combine attractive styling and design with durability to ensure the best possible point of sale promotion for your product.

- Adjustable shelving and display lightbox
- High output product lighting
- Adjustable temperature control (+1 to +10°C)
- Environmentally friendly refrigerant
- Sliding doors

The chillers can be decorated.  
The sides can be silk-screened or decals applied.  
(additional charges apply - POA).



SPECIFICATIONS		CT0060G4	CT0060G4L	CT0080G4	CT0080G4L	CT0100G1LS
	CAPACITY LTRS	58	58	78	78	100
	TEMP. RANGE (oC)	+1/+10	+1/+10	+1/+10	+1/+10	+1/+10
	POWER (WATTS)	190	200	220	220	220
	WIDTH (MM)	430	430	430	430	650
	DEPTH (MM)	385	385	385	385	360
	HEIGHT (MM)	800	925	955	1080	930
	DOOR TYPE	GLASS	GLASS	GLASS	GLASS	GLASS
	NO. OF DOORS	1	1	1	1	2
	NO. OF SHELVES	2	2	3	3	2
	INTERNAL LIGHT	Y	Y	Y	Y	Y
	EXT LIGHT BOX	N	Y	N	Y	Y
	COLOURS	W, S, B	W, S, B	W, S	W, S	W
	WEIGHT	32	33	36	36	45
	REFRIGERANT	R134A	R134A	R134A	R134A	R134A

W=WHITE  
S=SILVER  
B=BLACK




# BROMIC

For professional display with optimum conservation of products and viewable display area on all levels. The display for a perfect environment. Ideal for Refrigerated Products, confectionery and chocolates.

- Wide display area - see sizes in chart below
- Fan assisted refrigeration display & storage on all display levels
- Three lengths sizes available
- Units supplied standard with internal Stainless Steel finish
- Easy Clean and foodsafe environment
- Curved Toughened safety glass
- Rear Perspex doors
- Colour of base - Ash

Also available: Matching Bakery and Gastronomy with refrigeration, neutral (ambient) and heated temperatures.  
(Special order on request with shipping time. POA)

NB: Maximum ambient temperature of 32° C for temperatures shown below.



32° C  
Ambient  
rated

*Product Colours to order.  
Over 20 colours available*


## COLUMBUS

New High Tech Look for visual excellence. Ideal for Meat , Dairy display.

- Hydraulic Lift Glass
- Bottom up glass front
- Wide Display area - see sizes in chart below
- Fan assisted refrigeration display & storage on all display levels
- Three lengths sizes available
- Units supplied standard with internal Stainless Steel finish
- Easy Clean and foodsafe environment
- Curved Toughened safety glass
- Extra deep refrigerated storage

### Optional Extras

- Stepped decks
- Sloping grilles
- Scale extension
- Knives holder
- Paper-roll holder
- HACCP control/records
- Tropicalized c.u.
- Perspex product dividers
- Rear Plexi Sliding Doors
- Night Blinds



Frontal Fascia included in units with self contained Refrigeration Units.  
NB: Maximum ambient temperature of 32° C for temperatures shown below.



Remote refrigeration system shown

32° C  
Ambient  
rated

*Product Colours to order.  
Over 20 colours available*

## VISION

## COLUMBUS

[illegible]

## DELICATESSEN DISPLAYS

## BROMIC

- Fan-Assisted refrigeration Display & Storage
- Superior performance and latest in European styling
- Four sizes available with optional internal and external corners available on request (See chart below)
- Units supplied standard with internal stainless steel finish and hydraulic lift up glass
- Easy clean and food safe environment
- Rear load refrigerated storage
- Advanced ventilated cooling system
- Curved and toughened safety glass
- Heavy duty castors
- Rear perspex doors
- Rear work bench
- Colour: Blue facia panels (other colours available on request)
- 15 Amp power outlet required



### Options

- 30cm or 40cm paper holder
- Knife holder
- Paper/Plastic bag holder
- Glass shelf
- Bain-Marie
- Heated Deck
- Internal Spherical corner - fan assisted built in refrigeration
- External Spherical corner - fan assisted built in refrigeration



32° C  
Ambient  
rated

Standard instock  
colours are blue.  
Other colours  
are available.  
POA.



**Applications** - Ideal for use in Cafes, Juice Bars, Coffee Shops, Quick Service Restaurants, Institutions & Cafeterias, Restaurants, Hotels & Resorts, Entertainment Centres, Convenience Stores, Supermarkets, and many more.

SPECIFICATIONS		DD0150P	DD0200P	DD0250P	DD0290P
	TEMP. RANGE (oC)	0/+3	0/+3	0/+3	0/+3
	LENGTH INCL. ENDS (MM)	1500	2000	2500	2900
	DEPTH (MM)	1123	1123	1123	1123
	HEIGHT (MM)	1289	1289	1289	1289
	DISPLAY AREA (M2)	1.15	1.56	1.97	2.3
	INTERNAL TRAY WIDTH	818	818	818	818
	POWER (WATTS)	709	1160	1374	1650
	DOORS	2	3	4	4
	WEIGHT	178	228	278	320
	REFRIGERANT	R404A	R404A	R404A	R404A



## DELICATESSEN DISPLAYS

## BROMIC

### REAL PLUS


- Attractive affordable display suits most general purpose needs
- Ventilated cooling system
- Slim line design allows the Real Plus to fit into confined display areas
- Available in three sizes -See chart below
- Food safe display environment
- Rear load refrigerated storage
- Ideal for meat & poultry, cheese & dairy, and general fresh produce display
- Digital temperature controller
- Curved and toughened safety glass
- Heavy duty castors
- Rear perspex doors
- Rear work bench
- Stainless steel internal finish
- Colour: Red facia panels (other colours available on request)
- 15 Amp power outlet required

#### Options

- Glass Product divider
- Knife holder
- Paper/Plastic Bag Holder
- Glass Shelf



Rear load storage



32° C  
Ambient  
rated



Standard instock finish  
is Stainless Steel.  
Other colours are available.  
POA.

**WARRANTY**  
1yr  
PARTS  
1yr  
LABOUR



**Applications** - Ideal for use in Cafes, Juice Bars, Coffee Shops, Quick Service Restaurants, Institutions & Cafeterias, Restaurants, Hotels & Resorts, Entertainment Centres, Convenience Stores, Supermarkets, and many more.

\*Working temperature / Rated Operating temperature = Ambient 32°C, Relative humidity = 60%


SPECIFICATIONS		DD0150RP	DD0200RP	DD0250RP
	TEMP. RANGE (oC)	0/+3	0/+3	0/+3
	LENGTH INCL. ENDS (MM)	1500	2000	2500
	DEPTH (MM)	941	941	941
	HEIGHT (MM)	1197	1197	1197
	DISPLAY AREA (M2)	1.19	1.62	2.04
	INTERNAL TRAY WIDTH	606	606	606
	POWER (WATTS)	511	709	836
	DOORS	2	2	2
	WEIGHT	125	172	215
	REFRIGERANT	R404A	R404A	R404A



## GELATO/ICE CREAM DISPLAYS

# BROMIC

### GD0007



### GD0007, GD0009, GD0012


The Gelato Displays offer an attractive solution for display of fine ice creams and gelato. The ventilated, forced-air "no frost" refrigeration system ensure a stable and constant temperature.

- Standard Features (all models)
- Curved tempered glass front for optimum display
- Heated glass prevents condensation
- High output product lighting
- Stainless steel 5 Litre ice cream tubs (see table below)
- Easy to mount and dismount the ice cream boxes
- Automatic defrost by digital control
- Castor mounted for easy positioning and movement
- Corrosion resistant construction


The Gelato Display can be decorated. The sides can be silk-screened or decals applied.  
(additional charges apply - POA).



### GD0009



### GD0012



SPECIFICATIONS		GD0007	GD0009	GD0012
	NO. 5 LTR DISPLAY TUBS	7	9	12
	ADDITIONAL STORAGE (5LTR)	7	9	12
	TEMP. RANGE (oC)	-12/-22	-12/-22	-12/-22
	POWER (WATTS)	789	1462	1250
	WIDTH (MM)	1345	1670	1180
	DEPTH (MM)	695	695	1200
	HEIGHT (MM)	1250	1250	1334
	WEIGHT	144	182	295
	REFRIGERANT	R404A	R404A	R404A



# PATTON

CENTRAL QUEENSLAND PTY LTD PH. 07 49273648 FAX 07 49271576

## GLASS DOOR MERCHANDISERS

## BROMIC

### GM0220L


The Glass Door Merchandisers are designed for Display and are suitable for merchandising dairy products, beer, bottles, cans, fruit drinks etc.

#### Standard Features:

- Display Light Box
- Internal Lighting
- High output internal lighting for maximum product display
- Durable PVC coated adjustable shelves
- Corrosion resistant outer body
- Adjustable temperature control (+1 to +10° C)
- Tempered thermo glass door with aluminium frame
- Double glazed door to reduce condensation
- Reversible door (POA)



The Glass Door Merchandiser can be decorated. The sides can be silk-screened or decals applied. (additional charges apply - POA).



### GM0220


The Glass Door Merchandisers are designed for Display and are suitable for merchandising dairy products, beer, bottles, cans, fruit drinks etc.

#### Standard Features:

- Internal Lighting
- High output internal lighting for maximum product display
- Durable PVC coated adjustable shelves
- Corrosion resistant outer body
- Adjustable temperature control (+1 to +10 ° C)
- Tempered thermo glass door with aluminium frame
- Double glazed door to reduce condensation
- Reversible door (POA)



The Glass Door Merchandiser can be decorated. The sides can be silk-screened or decals applied. (additional charges apply - POA).



## SPECIFICATIONS

	GM0220L	GM0220
CAPACITY (LTRS)	215	215
TEMP. RANGE (oC)	+1/+10	+1/+10
POWER (WATTS)	250	230
WIDTH (MM)	595	595
DEPTH (MM)	640	640
HEIGHT (MM)	1450	1310
NO. OF DOORS	1	1
TYPE OF DOOR	GLASS	GLASS
NO. OF SHELVES	3	3
LIGHT BOX	Y	N
WEIGHT	68	63
REFRIGERANT	R134A	R134A

## GLASS DOOR MERCHANDISERS

# BROMIC


### GM0300



The Glass Door Merchandisers are designed for Display and are suitable for merchandising dairy products, beer, bottles, cans, fruit drinks etc.

#### Standard Features:

- Internal Lighting
- High output internal lighting for maximum product display
- Durable PVC coated adjustable shelves
- Corrosion resistant outer body
- Adjustable temperature control (+1 to +10 °C)
- Tempered thermo glass door with aluminium frame
- Double glazed door to reduce condensation
- Reversible door (POA)



The Glass Door Merchandiser can be decorated. The sides can be silk-screened or decals applied. (additional charges apply - POA).

**Curved Door  
Maximum Visual  
Impact**


### GM0400LC



The Curved Glass Door Merchandisers are designed for display and are suitable for merchandising dairy products, beer, bottles, cans, fruit drinks etc. Merchandise can be viewed from increased angles.

#### Standard Features:

- Contour Display Light Box
- Curved glass Door (Double Glass curved)
- Internal side lighting (vertical)
- High output internal lighting for maximum product display
- Durable PVC coated adjustable shelves (curved front shelves)
- Corrosion resistant outer body
- Adjustable temperature control (+1 to +10 °C)
- Tempered thermo glass door with aluminium frame
- Double glazed door to reduce condensation



The Curved Glass Door Merchandiser can be decorated. The sides can be silk-screened or decals applied. (additional charges apply - POA).

## SPECIFICATIONS

	GM0300	GM0400LC
CAPACITY (LTRS)	290	380
TEMP. RANGE (oC)	+1/+10	+1/+10
POWER (WATTS)	215	320
WIDTH (MM)	595	595
DEPTH (MM)	640	624
HEIGHT (MM)	1640	1980
NO. OF DOORS	1	1
TYPE OF DOOR	GLASS	CURVED GLASS
NO. OF SHELVES	4	5
LIGHT BOX	N	Y
WEIGHT	78	90
REFRIGERANT	R134A	R134A

## GLASS DOOR MERCHANDISERS

## BROMIC



### GM0374L


The Glass Door Merchandisers are designed for Display and are suitable for merchandising dairy products, beer, bottles, cans, fruit drinks etc.

#### Standard Features:

- Display lightbox
- Internal Lighting
- High output internal lighting for maximum product display
- Durable PVC coated adjustable shelves
- Corrosion resistant outer body
- Adjustable temperature control (+1 to +10 °C)
- Tempered thermo glass door with aluminium frame
- Double glazed door to reduce condensation
- Reversible door (POA)

The Glass Door Merchandiser can be decorated.

The sides can be silk-screened or decals applied. (additional charges apply - POA).



### GM0374

### GM0374SD


The Glass Door Merchandisers are designed for display and are suitable for merchandising dairy products, beer, bottles, cans, fruit drinks etc.

#### Standard Features:

- Internal Lighting
- High output internal lighting for maximum product display
- Durable PVC coated adjustable shelves
- Corrosion resistant outer body
- Adjustable temperature control (+1 to +10 °C)
- Tempered thermo glass door with aluminium frame
- Double glazed door to reduce condensation
- Available in solid door (GM0374SD)
- Reversible door (POA)

The Glass Door Merchandiser can be decorated.

The sides can be silk-screened or decals applied. (additional charges apply - POA)



## SPECIFICATIONS

	GM0374L	GM0374	GM0374SD
CAPACITY (LTRS)	372	372	372
TEMP. RANGE (oC)	+1/+10	+1/+10	+1/+10
POWER (WATTS)	290	290	290
WIDTH (MM)	595	595	595
DEPTH (MM)	640	640	640
HEIGHT (MM)	1980	1840	1840
NO. OF DOORS	1	1	1
TYPE OF DOOR	GLASS	GLASS	SOLID
NO. OF SHELVES	5	5	5
LIGHT BOX	Y	N	N
WEIGHT	86	86	86
REFRIGERANT	R134A	R134A	R134A



## GLASS DOOR MERCHANDISERS

# BROMIC

### GM0500L




The Glass Door Merchandisers are designed for display and are suitable for merchandising dairy products, beer, bottles, cans, fruit drinks etc.

#### Standard Features:

- Display Light Box
- High output internal lighting for maximum product display
- Durable PVC coated adjustable shelves
- Corrosion resistant outer body
- Adjustable temperature control (+1 to +10° C)
- Tempered thermo glass door with aluminium frame
- Double glazed door to reduce condensation
- Heavy duty construction
- Forced draft refrigeration system
- Castor mounted (front lockable)
- High output vertical lighting

The Glass Door Merchandiser can be decorated.  
The sides can be silk-screened or decals applied.  
(additional charges apply - POA).

See table below for additional features



### GM0660L





The Glass Door Merchandisers are designed for display and are suitable for merchandising dairy products, beer, bottles, cans, fruit drinks etc.

#### Standard Features:

- Display Light Box
- High output internal lighting for maximum product display
- Durable PVC coated adjustable shelves
- Corrosion resistant outer body
- Adjustable temperature control (+1 to +10°C)
- Tempered thermo glass door with aluminium frame
- Double glazed door reduces condensation
- Heavy duty construction
- Forced draft refrigeration system
- Castor mounted (front lockable)
- High output vertical lighting

The Glass Door Merchandiser can be decorated.  
The sides can be silk-screened or decals applied.  
(additional charges apply - POA).



SPECIFICATIONS		GM0500L	GM0660L
	CAPACITY (LTRS)	506	660
	TEMP. RANGE (oC)	+1/+10	+1/+10
	POWER (WATTS)	500	610
	WIDTH (MM)	610	762
	DEPTH (MM)	771	771
	HEIGHT (MM)	2080	2080
	NO. OF DOORS	1	1
	TYPE OF DOOR	GLASS	GLASS
	NO. OF SHELVES	5	5
	LIGHT BOX	Y	Y
	WEIGHT	116	142
	REFRIGERANT	R134A	R134A

## GLASS DOOR MERCHANDISERS

# BROMIC

### GM0875LS

The Glass Door Merchandisers are designed for Display and are suitable for merchandising dairy products, beer, bottles, cans, fruit, drinks etc.

#### Standard Features:


- Display Light Box
- 2 Sliding, self closing doors
- Internal vertical Lighting
- High output internal lighting for maximum product display
- Durable PVC coated adjustable shelves
- Corrosion resistant outer body
- Adjustable temperature control (+1 to +10 ° C)
- Tempered thermo glass door with aluminium frame
- Double glazed door to reduce condensation
- Door lock
- Heavy duty construction
- Forced draft refrigeration system
- Castor mounted (front lockable)

The Glass Door Merchandiser can be decorated.  
The sides can be silk-screened or decals applied.  
(additional charges apply - POA).



**Ideal for narrow areas**

**Double Sliding Doors**



### GM0875L

The Glass Door Merchandisers are designed for Display and are suitable for merchandising dairy products, beer, bottles, cans, fruit, drinks etc.


#### Standard Features:

- Top mounted, removable refrigeration unit
- Display light box
- 2 Hinged, self closing doors
- Internal vertical Lighting
- High output internal lighting for maximum product display
- Durable PVC coated adjustable shelves
- Corrosion resistant outer body
- Adjustable temperature control (+1 to +10 ° C)
- Tempered thermo glass door with aluminium frame
- Double glazed door to reduce condensation
- Heavy duty construction
- Forced draft refrigeration system
- Castor mounted (front lockable)

The Glass Door Merchandiser can be decorated.  
The sides can be silk-screened or decals applied.  
(additional charges apply - POA).



**Double Hinged Doors**



## SPECIFICATIONS

	GM0875LS	GM0875L
CAPACITY (LTRS)	875	875
TEMP. RANGE (oC)	+1/+10	+1/+10
POWER (WATTS)	750	750
WIDTH (MM)	1110	1110
DEPTH (MM)	825	825
HEIGHT (MM)	2025	2025
NO. OF DOORS	2	2
TYPE OF DOOR	GLASS	GLASS
NO. OF SHELVES	10	10
LIGHT BOX	Y	Y
WEIGHT	210	210
REFRIGERANT	R134A	R134A





CENTRAL QUEENSLAND PTY LTD PH. 07 49273648 FAX 07 49271576

## OPEN DISPLAY CABINETS

## BROMIC


### FUNDADOR SLIM

- Attractive affordable display suits most general purpose needs
- Slim line design allows the Fundador slim to fit into confined display areas
- Available in three sizes
- Food safe display environment
- Ideal for meat & poultry, cheese & dairy, and general fresh produce display
- Toughened safety glass on sides
- Heavy duty castors
- Colour: Burgundy (other colours available on order: Blue, Green, Grey, White)
- Night blind
- Undershelf lighting


#### Options

- Shelf edge riser
- Pin pack Bar
- Panoramic shelves with ticket strips
- Acrylic risers
- Grille risers
- Shelf dividers
- Base dividers

\*Working temperature / Rated Operating temperature = Ambient 25 °C, Relative humidity = 60%




Digital display




Under-shelf lighting



Night blind



Shelf dividers



Castors

Standard instock colours is burgundy. Other colours are available. POA

**Applications** - Ideal for use in Cafes, Juice Bars, Coffee Shops, Quick Service Restaurants, Institutions & Cafeterias, Restaurants, Hotels & Resorts, Entertainment Centres, Convenience Stores, Supermarkets, and many more.

SPECIFICATIONS		SLIM 90	SLIM 130	SLIM 190
	LENGTH INCL. ENDS (MM)	900	1300	1900
	DEPTH (MM)	575	575	575
	HEIGHT (MM)	1910	1910	1910
	POWER (WATTS)	1365	1700	2483
	TEMP. RANGE (°C)	0/+3	0/+3	0/+3
	DISPLAY AREA (M2)	1.14	1.72	2.58
	NO. OF SHELVES	4	4	4
	SHELF DEPTH	250/300	250/300	250/300
	REFRIGERANT	R404A	R404A	R404A
	LIGHT POWER (WATTS)	90	115	290



## SELF CONTAINED SOLID ICE CUBE MAKERS

ICE PRODUCTION BASED ON 32oC AMBIENT & 21oC WATER TEMP.



CB184	<b>24 hour production</b>	<b>16kg</b>
	Storage capacity	4kg
	Dimensions (mm)	345W 400D 590H
	Refrigerant	R 404A
	Electrical	220-240V 50Hz 1ph
	Shipping weight	31kg



CB249	<b>24 hour production</b>	<b>22kg</b>
	Storage capacity	9kg
	Dimensions (mm)	390W 460D 690H
	Refrigerant	R 404A
	Electrical	220-240V 50Hz 1ph
	Shipping weight	44kg



CB316	<b>24 hour production</b>	<b>25kg</b>
	Storage capacity	16kg
	Dimensions (mm)	500W 580D 690H*
	Refrigerant	R 404A
	Electrical	220-240V 50Hz 1ph
	Shipping weight	56kg



CB416	<b>24 hour production</b>	<b>33kg</b>
	Storage capacity	16kg
	Dimensions (mm)	500W 580D 690H*
	Refrigerant	R 404A
	Electrical	220-240V 50Hz 1ph
	Shipping weight	60kg



CB425	<b>24 hour production</b>	<b>36kg</b>
	Storage capacity	25kg
	Dimensions (mm)	500W 580D 800H*
	Refrigerant	R 404A
	Electrical	220-240V 50Hz 1ph
	Shipping weight	64kg



CB640	<b>24 hour production</b>	<b>50kg</b>
	Storage capacity	40kg
	Dimensions (mm)	738W 600D 920H*
	Refrigerant	R 404A
	Electrical	220-240V 50Hz 1ph
	Shipping weight	89kg





CENTRAL QUEENSLAND PTY LTD PH. 07 49273648 FAX 07 49271576

## **SELF CONTAINED SOLID ICE CUBE MAKERS**

ICE PRODUCTION BASED ON 32°C AMBIENT & 21°C WATER TEMP.



<b>CB840</b>	<b>24 hour production</b>	<b>63kg</b>
	Storage capacity	40kg
	Dimensions (mm)	738W 600D 920H*
	Refrigerant	R 404A
	Electrical	220-240V 50Hz 1ph
	Shipping weight	98kg



<b>CB955</b>	<b>24 hour production</b>	<b>72kg</b>
	Storage capacity	55kg
	Dimensions (mm)	738W 600D 1020H*
	Refrigerant	R 404A
	Electrical	220-240V 50Hz 1ph
	Shipping weight	102kg



<b>CB1265</b>	<b>24 hour production</b>	<b>101kg</b>
	Storage capacity	65kg
	Dimensions (mm)	840W 740D 1075H*
	Refrigerant	R 404A
	Electrical	220-240V 50Hz 1ph
	Shipping weight	133kg



<b>CB1565</b>	<b>24 hour production</b>	<b>122kg</b>
	Storage capacity	65kg
	Dimensions (mm)	840W 740D 1075H*
	Refrigerant	R 404A
	Electrical	220-240V 50Hz 1ph
	Shipping weight	138kg



CENTRAL QUEENSLAND PTY LTD PH. 07 49273648 FAX 07 49271576

## **MODULAR ICE MAKERS - HEAD ONLY**

ICE PRODUCTION BASED ON 32oC AMBIENT & 21oC WATER TEMP.



<b>C80</b>	<b>24 hour production</b>	<b>72kg</b>
	Dimensions	
	(mm)	862W
		470D
		620H
	Refrigerant	R 404A
	Electrical	220-240V
		50Hz 1ph
	Shipping weight	92kg

Recommended Bins: Bin  
200 PE, Bin 180



<b>C150</b>	<b>24 hour production</b>	<b>123kg</b>
	Dimensions	
	(mm)	862W
		555D
		720H
	Refrigerant	R 404A
	Electrical	220-240V
		50Hz 1ph
	Shipping weight	128kg

Recommended Bins: 240  
PE, Bin 180, Bin 380, Dble  
Roller Bin



<b>C300</b>	<b>24 hour production</b>	<b>233kg</b>
	Dimensions	
	(mm)	1250W
		580D
		848H
	Refrigerant	R 404A
	Electrical	220-240V
		50Hz 1ph
	Shipping weight	178kg

Recommended Bins: Bin  
380, Double Roller Bin

## SELF CONTAINED ICE FLAKERS

ICE PRODUCTION BASED ON 32oC AMBIENT & 21oC WATER TEMP.



GB902	<b>24 hour production</b>	<b>72kg</b>
	Storage capacity	20kg
	Dimensions (mm)	500W 660D 690H
	Refrigerant	R 404A
	Electrical requirements	220-240V 50Hz 1ph
	Shipping weight	67kg



GB903	<b>24 hour production</b>	<b>72kg</b>
	Storage capacity	30kg
	Dimensions (mm)	500W 660D 800H
	Refrigerant	R 404A
	Electrical requirements	220-240V 50Hz 1ph
	Shipping weight	76kg



GB1555	<b>24 hour production</b>	<b>116kg</b>
	Storage capacity	55kg
	Dimensions (mm)	738W 690D 1020H
	Refrigerant	R 404A
	Electrical requirements	220-240V 50Hz 1ph
	Shipping weight	105kg

## MODULAR ICE FLAKERS - HEAD ONLY

ICE PRODUCTION BASED ON 32oC AMBIENT & 21oC WATER



G250	<b>24 hour production</b>	<b>196kg</b>
	Dimensions (mm)	640W 470D 700H
	Refrigerant	R 404A
	Electrical requirements	220-240V 50Hz 1ph
	Shipping weight	93kg



G500	<b>24 hour production</b>	<b>391kg</b>
	Dimensions (mm)	640W 470D 700H
	Refrigerant	R 404A
	Electrical requirements	220-240V 50Hz 1ph
	Shipping weight	113kg



G1000	<b>24 hour production</b>	<b>782kg</b>
	Dimensions (mm)	934W 684D 700H
	Refrigerant	R 404A
	Electrical requirements	415V - 3ph - 50Hz
	Shipping weight	195kg



**24 hour  
production 140kg**

Dimensions  
(mm) 540W  
544D  
707H

Refrigerant R 404A  
electrical  
requirement 220-240V  
50Hz 1ph

Shipping  
weight 95kg



**24 hour  
production 200kg**

Dimensions  
(mm) 770W  
550D  
800H

Refrigerant R 404A  
electrical  
requirement 220-240V  
50Hz 1ph

Shipping  
weight 101kg



**24 hour  
production 400kg**

Dimensions  
(mm) 770W  
550D  
800H

Refrigerant R 404A  
electrical  
requirement 220-240V  
50Hz 1ph

Shipping  
weight 124kg



**24 hour  
production 730kg**

Dimensions  
(mm) 1250W  
646D  
950H

Refrigerant R 404A  
electrical  
requirement 415V -  
3phN -

Shipping  
weight TBA



